Product specifications

Eaton MBP11KI

Catalog Number: MBP11KI

Eaton HotSwap MBP maintenance bypass, 11000i VA Input: Hardwired, 200-240V, Outlets: (4) C19, Hardwired

General specifications

Product Name Eaton HotSwap MBP maintenance bypass	**Catalog Number** MBP11KI
	UPC 743172040152
Product Length/Depth 185 mm	**Product Height** 270 mm
Product Width 410 mm	**Product Weight** 5.66 kg
Compliances CE Marked	**Certifications** CE
Model Code Eaton HotSwap MBP 11000i	

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Hotswap MBP

Form factor

3U

Outlet control

No

Package contents

- Maintenance Bypass
- Cable locking system
- Rack-mounting kit
- User manual

Operating Temperature

0° to 40°C (32° to 104°F)

Mounting direction

Horizontal

Color

Black

Input connection

Other

VA rating

11000 VA

Input voltage

200-240V

Phase

Single-phase

Outlets

(4) C19, Hardwired

Number of Outputs C19

4

Number of outputs hardwired

1

Number of outlets with earth pin

4

SNMP

No

Resources

Brochures

Eaton UPS and battery services - EN

Eaton UPS Services Quick Guide - EN

Ethernet interface

No

Serial interface

No

Mass configuration

No

Electrical connection

Screwed terminal

Mounting Dimension (metrical)

270

Mounting dimension (standardized)

482.6 mm (19 inch)

Switchable

No

Over voltage category

2

Fitted with:

Mounting material

LED indication

Communication

No

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia